

MC 13F



High Tech Line






Perforatrice idraulica
Hydraulic drill rig
Foreuse hydraulique
Hydraulisches Bohrgerät

Dati Tecnici - Technical Data - Caractéristiques Techniques - Technische Daten

Carro cingolato Undercarriage	Chariot chenille Fahrwerk	
Passo cingolo Wheel base	Enpattement Radstand	2.761 mm / 9,1 ft
Larghezza max. Max width	Largeur max. Gesamtbreite	2.200 mm / 7,2 ft
Larghezza soles Pad width	Largeur patins Kettenplattenbreite	500 mm / 19,7 in
Pendenza max. Max. climbing ability	Pente max. Steigfähigkeit max.	36 %
Velocità max. Max. speed	Vitesse max. Fahrgeschwindigkeit	1,5 km/h / 0,93 mph
Centrale idraulica Power pack	Groupe hydraulique Hydraulikaggregat	High Tech Line
Motore diesel Diesel engine	Moteur diesel Dieselmotor	DEUTZ TCD 6.1 L06 STEP 4 / TIER 4F
Potenza Motore Engine power	Puissance moteur Motorleistung	160 kW (214 HP) / 2.200 rpm
Serbatoio olio Oil tank	Réservoir huile Öltank	600 l / 158,5 gal
Serbatoio gasolio Fuel tank	Réservoir diesel Dieseltank	300 l / 79,2 gal
Mast Mast	Mât Lafette	
Corsa utile Feed stroke	Course utile Vorschub	3.100 - 6.600 - 8.600 mm / 10,2 - 21,6 - 28,2 ft
Lunghezza totale Total length	Longueur totale Gesamtlänge	5.000 - 9.000 - 11.000 mm / 16,4 - 29,5 - 36,1 ft
Forza di spinta Feed force	Poussée Vorschubkraft	19.500 daN / 43,838 lbs
Forza di tiro Retract force	Traction Rückzugskraft	19.500 daN / 43,838 lbs
Testa di rotazione Rotary head	Tête de rotation Drehkopf	R 5500
Marce Gears	Vitesses Gänge	2 / 4
Coppia max. Max torque	Couple max. Drehmoment max.	5.500 daNm / 40,566 lb*ft
Giri max. Max speed	Vitesse max. Drehzahl max.	48 (optional 72) rpm
Passaggio girevole Swivel passage	Passage joint tournant Spülkopfdurchgang	4"
Morsa Casing clamp	Mors Klemmvorrichtung	
Diametro min. / max di presa Clamping range	Diamètre min. / max Durchmesser min. / max	60 - 660 mm / 2,4 - 25,9 in
Peso Weight	Poids Gewicht	15.000 - 16.000 kg / 33,069 - 35,273 lbs

Dimensioni di ingombro (mm) - Overall dimensions (mm) - Dimensions (mm) - Aussenabmessungen (mm)





Comacchio s.r.l.

Via Callalta, 24/B - 31039 Riese Pio X (TV) (Italy)

Tel +39 0423 7585 - Fax + 39 0423 755592

www.comacchio

www.studiorubin.com - Printed 06-2017

I dati tecnici sono indicativi e soggetti a modifiche senza preavviso / Specifications shown are only indicative and subject to alterations without prior notice
Les données techniques sont indicatives et sujettes à des modifications sans préavis / Die angegebenen Daten sind Richtwerte und können sich ohne Vorankündigung ändern.