

Eurofor

Distributeur de matériel neuf pour le forage et la démolition, Eurofor vous propose aussi des foreuses d'occasion.

Notre magasin de pièces détachées et notre SAV sont là pour répondre à toutes vos demandes sur vos équipements !

106 700€ HT

EXW France (Chassieu)

Vendue en l'état

Devis de révision sur demande

Service Commercial

04 72 47 66 73

sales@eurofor.com

www.eurofor.com



Occasion : achetez sereinement

Foreuse HCR 1400 Furukawa



Année 2016 - 2 870 heures marteau - 7 178 heures moteur (changé le 03/03/2022, à 5 272 heures)

Poids et dimensions

Poids : 15 250 kg
Longueur (hors tout) : 10 150 mm
Largeur (hors tout) : 3 457 mm
Hauteur (hors tout) : 2 983 mm

Marteau (révisé le 06/09/2023)

Modèle : HD822
Puissance : 22 kW
Poids : 242 kg
Fréquence de frappe : 2 700 min⁻¹
Vitesse de rotation : 0 - 190 min⁻¹

Moteur

Modèle : Cummins QSB 6.7 Stage 3B
Puissance /vitesse : 194 kW /
2500 tr/min

Chenillard

Garde au sol : 440 mm
Angle d'oscillation : ± 7,5°
Vitesse de déplacement : 0 - 3,1 km/h
Pente maximale : 57,7%

Compresseur

Modèle : PDS265-S35E
Débit : 8,2 m³/min
Pression : 1,03 MPa

Bras

Angle de levage haut-bas : 45-20°
Angle de pivotement gauche-droite : 35-5°
Course de l'extension : 1 200 mm

Glissière

Modèle : GH832
Longueur : 7 971 mm
Longueur d'avance : 1 200 mm
Course du marteau / frappe rétro :
4 590/ 4 415 mm
Force au retrait : 29,5 kN
Graissage centralisé Groenveld

Barillet

Tiges T45, T51
Capacité du barillet : 6+1

Accessoires

Machine équipée avec 7 tiges T51 M/M et manchons
Indicateur d'angle + profondimètre sans enregistreur
Pompe électrique de remplissage
Caméra de recul et latérale
2 phares de travail sur cabine

Eurofor

Need a drill rig?

Eurofor distributes drilling machines and demolition equipment. With our spare parts warehouse and after-sales service, we're here to meet all your needs!

Enlarge your fleet!

106,700€ HT

EXW France (Chassieu)

Sold as it is

Overhaul quote on demand

Sales services

+33 (0)4 72 47 66 73
sales@eurofor.com
www.eurofor.com



Used machine: buy it now!

HCR 1400 ED Furukawa drill rig



Year 2016 - Work: 2,870 hours - Hammer: 7,178 hours (replaced on 03/03/2022, at 5,272 hours)

Weight and shipping dimensions

Weight: 15,250 kg
Length: 10,150 mm
Width: 3,457 mm
Height: 2,983 mm

Drifter (revised on 09/06/2023)

HD822
Power: 22 kW
Weight: 242 kg
Striking frequency: 2,700 min⁻¹
Rotation speed: 0 - 190 min⁻¹

Engine

Cummins QSB 6.7 Tier 4i
Power and speed: 194 kW /
2,500 tr/min

Undercarriage

Ground clearance: 440 mm
Oscillation angle: ±7.5°
Speed: 0 - 3.1 km/h
Maximum gradient: 57,7%

Compressor

PDS265-S35E
Airflow: 8.2 m³/min
Pressure: 1.03 MPa

Boom

Tilt angle high-low : 45-20°
Tilt angle left-right : 35-5°
Extension stroke : 1,200 mm

Guide shell

GH832
Length : 7,971 mm
Feed length : 1,200 mm
Course : 14,590 mm
Pullback force : 29.5 kN
Centralized lubrication Groenveld

Road changer

T45, T51 rods
Barrel capacity: 6+1

Equipment included

Sold with 7 T51 rods M/M and couplings
Angle indicator and depth gauge without recorder
Electric filling pump
Rear and side view camera
2 work lights on cab

